



CRANE BODIES



RM-25 CRANE BODY
RM-35 CRANE BODY
RM-45 CRANE BODY
RM-78 CRANE BODY

MADE IN THE USA



WORKING HARD RUNS IN THE FAMILY.

When you need a crane body that can handle any challenge, reliability is key. Whether you're facing rugged, demanding conditions every day or need a dependable solution for occasional lifts, your crane body should always rise to the occasion. That's why you need a manufacturer dedicated to delivering a complete line of crane bodies designed to help you take on any job with confidence.

From construction and contracting to oil and gas or utilities, we have the perfect crane body to meet your needs. With years of experience in building service bodies, we understand what it takes to keep you productive. Our customizable options allow you to tailor your crane body to your specific work requirements and we back our products with a full range of service, parts and accessories to ensure your equipment keeps running smoothly.



RM-25

The RM-25 Crane Body is the ideal solution for those who need reliable lifting capabilities without daily demands. It delivers up to 5,000 lbs. of crane capacity and 25,000 ft.lbs. of lifting moment. Available in 9' or 11' configurations, it has an option of an electric crane, brackets for easy accessory mounting and dual manual out/manual down outriggers. When added, the over 22" workbench bumper provides more space and is designed to keep operators productive and ready for anything. The optional step bumper adds even more convenience, providing easier access. The RM-25 is a dependable midweight performer built to help get the job done.



RM-35

Built to support demanding work environments, the RM-35 Crane Body delivers exceptional performance for mid-duty lifting tasks. Designed to be upfitted with electric cranes up to 6,000 lbs. of crane capacity (up to 39,000 ft.lbs. of lifting moment), the RM-35 is designed to handle one of the largest lifts an electric crane can achieve. With a torsion box understructure, it's engineered to meet the specific needs of a wide variety of users. Reliable, efficient and purpose-built, the RM-35 gives you everything you need — and nothing you don't — to keep your operation moving.



RM-45

Designed for versatility, built to perform. The RM-45 Crane Body is engineered to handle the toughest jobs, delivering strength and adaptability in one powerful package. Upfitted for use with 5,000–8,000 lbs. hydraulic cranes, it can deliver up to 45,000 ft.lbs. of lifting moment. The RM-45 is built with a torsion box understructure for a strong foundation, lighting to safely protect your crew, and designed to make it easy to customize with accessories to fit your needs. The RM-45 is ready to work as hard as you do.



RM-78

Built to handle the toughest jobs, the RM-78 Crane Body is designed to tackle the toughest jobs every day. This heavy-duty crane body delivers up to 78,000 ft.lbs. of lifting moment when outfitted with a 8,000–12,500 lb. hydraulic crane. Available in 11' or 14' lengths, the RM-78 features a torsion box understructure for maximum strength and reliability. Engineered for durability and performance, it's the ultimate choice for those who demand maximum productivity. The RM-78 is ready to lift, haul and power through the toughest challenges.

KEY FEATURES CRANE BODY



KEY FEATURES

1 TORSION BOX UNDERSTRUCTURE

Our torsion box understructure provides the strength to help the industry's cranes deliver their full potential. No wonder our torsion box design is preferred where high strength and low weight matter.

The RM-25 Crane Body is built with a heavy-duty understructure with 6" high crossmembers, offering a solid foundation for mid-weight lifting applications. It strikes the perfect balance between cost-effectiveness and performance, ensuring stability and reliability on the job.

2 SPRAY LINER AND RUST PROTECTION

A professional-grade, spray-on bedliner provides outstanding protection against chips, scuffs and damage while minimizing rust. It features a slip-resistant surface that improves traction and safety when walking in the bed (optional on RM-25).

3 TOWING CAPABILITY

When you need to tow, we have you covered. All of our RM Crane Bodies have structural tow hitches that are tested and rated from 20,000 to 30,000 lbs., depending upon model.*

4 HEADACHE RACK

The newly designed headache rack protects the cab and provides the ideal mounting location for the RM family's on-body work lighting. The headache rack also doubles as a wire channel to keep wiring away from hazardous materials that may be stored in the tank compartment (integrated on the RM-35, RM-45 and RM-78; optional bolt-on for RM-25).

5 WEATHERPROOFING

Our Dual-Pro® door seal system combines automotive-quality weatherstripping with a mechanical design that channels water away from your storage compartments.

6 STROBE LIGHTS

Stay safe and visible with standard strobe lights on the back of all our RM Crane Bodies. When connected to upfitter switches in the cab, strobe lights help protect you and your crew with the flip of a switch.

7 TAILGATE

The slam-action tailgate features a one-handed opening, just like a pickup truck. All the hardware is constructed from stainless steel components for durability, longevity for a long-lasting professional appearance.

8 ADJUSTABLE SHELVING

Professional-grade divider shelving is infinitely adjustable on strut channels, so you can arrange the shelves exactly where you want them. Add your own accessories using industry-standard hardware for additional configurations.

9 LED BRAKE LAMPS

LED combination lights last longer, stay cooler and glow brighter. And, they are water-resistant with automotive-grade sealed connectors.

10 COMPRESSION HANDLES

Our ergonomically designed compression handles are easy to use even while wearing gloves. With a full chrome polished appearance, they look as great as they work.

11 WORKBENCH BUMPERS

Our RM Crane Body lineup offers workbench bumpers, designed to nest seamlessly with installed outriggers for a clean, integrated appearance. Workbench bumpers feature built-in grip steps on each side, along with large-sized grab handles, providing easy access. (Grab handles are standard on RM-35, RM-45 & RM-78)

Note: Base models may not include all key features.



HINGES

Hinges are external to the body for maximum clear access to the compartments, protected from the elements by a fully concealed pin, and use marine-grade stainless steel bearings to ensure smooth, reliable operation. Hinge fasteners are internal to the body and are pry-resistant.



TIE-DOWN RINGS

The 9' bodies come equipped with four fully integrated tie-down rings in the load floor, while the 11' & 14' bodies feature six. These allow you to utilize the entire bed when not in use.

*Properly equipped. Always observe GCWR, GVWR, GAWR and legal limits.

BUILD YOUR IDEAL PACKAGE

Our RM Crane Bodies are designed to work with the following equipment as a complete system to help you create the ultimate heavy lifter. These accessories are priced separately, to help your upfitter outfit a truck that's right for you and your work requirements.

VERSATILE CRANE COMPATIBILITY

Our RM Crane Bodies pair well with most industry cranes, including popular cranes from Palfinger®, Liftmoore® and Stellar®. Cranes range from 3,200 lbs. to 12,500 lbs. of winch capability, with both electric- and hydraulic-powered options.



CONTROL PANEL

Located in the curbside rear compartment, the control panel for the RM-45 and RM-78 allows you to operate the hydraulic outriggers with valve controls and the exterior lighting with push-button switches. The electric outriggers on the RM-35 are operated by push-button switches. The control panel is designed to pair with popular crane setups, as well as many compressor and accessory systems.

OUTRIGGERS

Our outriggers provide a safe and stable lift every time. The RM-25 offers two outrigger options: 18,000 lbs. and 25,000 lbs., ensuring you have the right level of support for your selected crane. The RM-35 offers power out/manual down outriggers. The RM-45 and RM-78 models are set with the standard full-power hydraulic outriggers that deliver the confidence of safety and convenience working together.

HYDRAULIC TANK AND SECONDARY BULKHEAD SETUP



Our RM-45 and RM-78 have integrated hydraulic tank setup that fit perfectly in the load space, with a secondary bulkhead to protect the tank from cargo damage. The secondary bulkhead has cutouts to view the fill gauge on the tank and removes easily for service on our RM-45 and RM-78.


AIR POWER

Our RM Crane Bodies have reinforced sidepacks designed to accept top-mount air compressors to power your heavy-duty air tools. Most models have mounting plates to make installing or reconfiguring easy. Choose from heavy-duty, hydraulic-driven air compressors for RM-45 or RM-78, or outboard motor-powered compressors for RM-25 or RM-35.

DRAWERS

Flexible drawer options are available to boost your truck's functionality. The RM-25 offers 6 and 8 drawer configurations, while the RM-35, RM-45 and RM-78 come in 7 and 10 drawer options—giving you the flexibility to organize your tools and equipment efficiently. For added convenience, bolt bins and a welder drawer are available, providing specialized storage for small parts and welding gear. These options ensure your gear is securely stored and easily accessible, helping you stay organized on the job.



A white Reading truck with a crane body installed in a workshop. The truck is parked in a large, well-lit industrial space with a high ceiling and exposed ductwork. The crane body is mounted on the truck's bed and features a large, white, rectangular enclosure with a door. The truck has a red taillight and a Reading logo on the side. The background shows various workshop equipment, including a ladder and workbenches.

UPFIT SOLUTIONS

Our goal with every upfit is to help you get the most out of your work truck and provide whatever you need to make things easier and safer for your crews.

With a nationwide distribution network and expert crane installation, our Reading Truck centers offer industry-leading support, guiding you through specs, body configurations, and equipment choices for the perfect fit for your needs.

As a proud member of the NTEA Member Verification Program, we uphold the highest standards in work truck solutions.

WHY CHOOSE A HYDRAULIC OR ELECTRIC CRANE

Electric- and hydraulic-powered cranes perform many of the same tasks and are controlled by the operator in the same way. The difference depends on your application.

Electric cranes are typically easier to install and used in lower-capacity applications (up to about 6,000 lbs.) or lower duty cycles (a few times per day).

Hydraulic cranes offer greater capability (up to 12,500 lbs.) and heavy-duty cycles (many times per day), but they require the more complex design of a fluid-power setup (PTO, pump and distribution).

Since all crane trucks require expert installation, periodic inspection, maintenance and operator training, we're your best partner to understand your needs, choose the perfect crane and body package for your specific application, as well as provide service after the sale.

POPULAR OPTIONS

MASTER-LOCKING

Create a secure seal on your service body compartment doors without sacrificing convenience, all with the snap of a handle and padlock. The master-locking steel slide bar can simultaneously lock an entire compartment side to keep your tools and other equipment safe.

WORK AREA FLOODLIGHTS

We know work isn't always 9 to 5. Our RM Crane Bodies are designed to accept floodlights to increase your work-area visibility. Ultrabright LED 2,400-lumen lamps are adjustable to where you need them and keep you working safely after dark.



COMPARTMENT LIGHTING

Dependable LED strip lighting provides a brighter look into the compartments. We design for reliability so our RM Crane Body compartments are set up for strip lights to be installed for all-weather, all-condition performance. Strip lighting can be operated using the control panel (RM-45 and RM-78) or the chassis upfitter switches.

LED strobe lighting on the front and rear of the body and an additional light for the cargo bed are available.



DRAWER SYSTEMS

We offer high-quality tool drawer units, specifically designed for our compartments to maximize storage volume. From tall tool cabinets that fill the tallest 60" compartment, to bolt bins to organize small parts, to a low-profile "welder's drawer," our RM Crane Body is ready to keep your tools at hand so you can focus on your work. Set up your ideal compartment layout, or ask one of our crane body experts what's best for your work.






RM-25




- Pairs with 3,200–5,000 lb. electric cranes rated up to 25,000 ft.lbs.
- A heavy-duty understructure with 6" high crossmembers provides a solid foundation for demanding applications.
- Available with manual out/manual down outriggers for stable, secure lifting.
- Versatile upfit options make it easy to build a strong, reliable work truck.
- Recommended chassis – Class 4: **Ford F-450; GM 4500HD; Chevrolet 4500; RAM 4500; International CV, as well as others.**

RM-25-9'



CURBSIDE VIEW



ROADSIDE VIEW - STANDARD HEIGHT SHOWN

COMPARTMENT SIZES (SHOWN)

	CURBSIDE	ROADSIDE	
V1	33" W x 60" H	33" W x 40" H	22" D
H	47" W x 20.5" H	47" W x 20.5" H	22" D
VR	28" W x 40" H	28" W x 40" H	22" D


LENGTH 108	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	3,381	

COMPARTMENT SIZES (CONFIGURATION NOT SHOWN)


	CURBSIDE	ROADSIDE	
V1	33" W x 60" H	33" W x 60" H	22" D
H	47" W x 20.5" H	47" W x 20.5" H	22" D
VR	28" W x 40" H	28" W x 40" H	22" D

LENGTH 108	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	3,414	

RM-25-11'



CURBSIDE VIEW



ROADSIDE VIEW - STANDARD HEIGHT SHOWN

COMPARTMENT SIZES (SHOWN)

	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 40" H	22" D
V2	21" W x 60" H	21" W x 40" H	22" D
H	47" W x 20.5" H	47" W x 20.5" H	22" D
VR	28" W x 40" H	28" W x 40" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	3,713	

COMPARTMENT SIZES (CONFIGURATION NOT SHOWN)

	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 60" H	22" D
V2	21" W x 60" H	21" W x 60" H	22" D
H	47" W x 20.5" H	47" W x 20.5" H	22" D
VR	28" W x 40" H	28" W x 40" H	22" D


LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	3,768	

RM-35




- Designed with torsion box understructure for superior strength and stability.
- Pairs with most 5,000-6,000 lb. electric cranes rated up to 39,000 ft.lbs.
- Equipped with electric out/manual down outriggers for enhanced stability.
- Quick mount brackets allow for ease in mounting compressor and other accessories.
- Recommended chassis – Class 5: **Ford F-550, Chevrolet 5500, Ram 5500, International CV, as well as others.**

RM-35-11'



CURBSIDE VIEW




ROADSIDE VIEW - STANDARD HEIGHT SHOWN

COMPARTMENT SIZES


	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 44" H	22" D
V2	21" W x 60" H	21" W x 44" H	22" D
H	47" W x 22" H	47" W x 22" H	22" D
VR	28" W x 44" H	28" W x 44" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	4,254	

RM-35-11'



CURBSIDE VIEW



ROADSIDE VIEW

COMPARTMENT SIZES

	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 60" H	22" D
V2	21" W x 60" H	21" W x 60" H	22" D
H	47" W x 22" H	47" W x 22" H	22" D
VR	28" W x 44" H	28" W x 44" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	4,287	

All measurements are overall compartment sizes. The listed weights include the hitch and outriggers but do not account for the bumper or additional accessories. Actual weights may vary based on final configurations.


*All height measurements are based on tallest compartment.

RM-45




- Designed with torsion box understructure for superior strength and stability.
- Pairs with 5,000–8,000 lb. hydraulic cranes rated up to 45,000 ft.lbs.
- Equipped with power out/power down outriggers for maximum stability.
- Integrated headache rack acts as a reinforced framework for additional safety.
- Recommended chassis – Class 5: **Ford F-550/F-600 Chassis Cab; General Motors and International CV 5500/6500 CC; RAM 5500 CC, as well as others.**

RM-45-11'



CURBSIDE VIEW




ROADSIDE VIEW - STANDARD HEIGHT SHOWN

COMPARTMENT SIZES


	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 44" H	22" D
V2	21" W x 60" H	21" W x 44" H	22" D
H	47" W x 22" H	47" W x 22" H	22" D
VR	28" W x 44" H	28" W x 44" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	4,430	

RM-45-11'



CURBSIDE VIEW



ROADSIDE VIEW

COMPARTMENT SIZES

	CURBSIDE	ROADSIDE	
V1	36" W x 60" H	36" W x 60" H	22" D
V2	21" W x 60" H	21" W x 60" H	22" D
H	47" W x 22" H	47" W x 22" H	22" D
VR	28" W x 44" H	28" W x 44" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	4,496	


All measurements are overall compartment sizes. The listed weights include the hitch and outriggers but do not account for the bumper or additional accessories. Actual weights may vary based on final configurations.
*All height measurements are based on tallest compartment.



RM-78

- Designed with torsion box understructure for superior strength and stability.
- Pairs with 8,000–12,500 lb. hydraulic cranes rated up to 78,000 ft.lbs.
- Equipped with power out/power down outriggers for maximum stability.
- Designed around operator safety, security and convenience.
- Recommended chassis – Class 6–7, with 22.5" wheels and tires:
Ford F-650/F-750; Freightliner; Kenworth; Mack; International; Peterbilt.

RM-78-11' FOR 84" CA CLASS 6-7 CHASSIS CAB




CURBSIDE VIEW (ROADSIDE SIMILAR)

COMPARTMENT SIZES

V1	34.5" W x 60" H	22" D
V2	21" W x 60" H	22" D
H	50" W x 30.5" H	22" D
VR	26.5" W x 60" H	22" D

LENGTH 132	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	5,830	

RM-78-14' FOR 120" CA CLASS 6-7 CHASSIS CAB



CURBSIDE VIEW (ROADSIDE SIMILAR)

COMPARTMENT SIZES

V1	36" W x 60" H	22" D
V2	34" W x 60" H	22" D
V3	21.5" W x 60" H	22" D
H	50" W x 30.5" H	22" D
VR	26.5" W x 60" H	22" D

LENGTH 168	HEIGHT 60*	WIDTH 96
TYP. WEIGHT	6,559	

All measurements are overall compartment sizes. The listed weights include the hitch and outriggers but do not account for the bumper or additional accessories. Actual weights may vary based on final configurations.
*All height measurements are based on tallest compartment.

READING TRUCK WARRANTY

WARRANTIES AS STRONG AS OUR BODIES.

Your truck is the heart of your business. When it doesn't perform, you can't perform. We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, readingtruck.com.

CRANE BODIES



INSTALLATION



WE'RE HERE TO HELP.

readingtruck.com





NO ONE KNOWS WORK TRUCKS BETTER THAN US.

For over 65 years, we have been a trusted manufacturer and distributor of high-quality work truck bodies, built with exceptional craftsmanship and designed to stand up to the toughest jobs. Count on us for safe, durable truck bodies, professional truck and van installations and a full range of parts, equipment, accessories and services to help you get the job done right.

Our products are available through our network of Reading Truck centers and an extensive national network of distribution partners, making it easy to outfit a single truck, van or an entire fleet.

Our commitment to your success drives everything we do. We take the time to understand your needs, ensuring you have the right solutions to work at your best.



825 E. Wyomissing Blvd.
Reading, PA 19611

readingtruck.com

© 2025 The Reading Truck Group, LLC, Reading, PA.
All rights reserved.

Version Number L101-D (2/2025)

All dimensions subject to plus or minus tolerance of $\frac{1}{4}$ ", and all dimensions and specifications are subject to change without notice. Truck bodies shown may depict optional features or accessories that are available. Some items displayed in photographs are optional. Aluma-Fill, Dual-Pro, Extend-A-Shelf, Latch-Matic, Reading Truck, Redi-Dek and Spacemaker are registered trademarks of The Reading Truck Group, LLC, (DBA Reading Truck) in the United States and some foreign countries. Trademarks of other firms are property of their respective owners.